

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price       |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>HANDHELD PROHD CAMERA &amp; ACCESSORIES</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
| GY-HM150U                                      | COMPACT HAND-HELD 3-CCD CAMCORDER<br><ul style="list-style-type: none"> <li>• Pro recording formats .MOV (FCP) and .MP4 (XDCam EX™) w/data rates up to 35Mbps • Fastest HD shoot to edit workflow. • SD recording and playback (.MOV or .AVI files) • Upgraded encoder &amp; DSP (from GY-HM790) • Records to dual SDHC &amp; SDXC memory cards (class 6 or 10) • Simultaneous recording to two cards, or relay mode. • 1920 x 1080 (1080p24/25/30, 1080i), 1280 x 720P (p60/50/30/25/24) • 10x Fujinon HD lens with manual or auto modes • Interval (time lapse) recording (New) • Pre rec (retro) recording (New) • Clip Cutter (New) • 6 user assignable buttons • Uncompressed LPCM audio (2ch) recording w/manual controls • XLR inputs with phantom power • Wired (New) and wireless remote control</li> </ul> Accessories Included: BN-VF823U Battery, AC Adapter, Battery Charger, Microphone, Wireless Remote Control Unit, Component Cable, A/V Cable | \$ 2,243.00 |
| GY-HM600U                                      | ProHD HANDHELD CAMCORDER<br><ul style="list-style-type: none"> <li>• Three 1/3-inch CMOS sensors (1920 x 1080) • F11 Sensitivity • 23x Fujinon Auto focus lens w/manual functions (35mm conversion:29 to 667mm) • OIS • 3 position ND filter (1/4, 1/16, 1/64) • 0.45-inch 1.22M pixel color VF • 3.5-inch 920K pixel LCD display • 2 memory slots (SDXC/SDHC) • Multiple formats: .MOV (Final Cut Pro), .MP4 (XDCAM EX™), AVCHD</li> <li>• Pre Rec (retro) mode (20 sec.) • Interval recording • Built-in stereo microphone • 2-ch XLR audio inputs • HD/SD-SDI, HDMI Outputs • Wired remote control connector</li> </ul>                                                                                                                                                                                                                                                                                                                                      | \$ 4,221.00 |
| GY-HM650U                                      | ProHD MOBILE NEWS CAMERA<br><ul style="list-style-type: none"> <li>• Three 1/3-inch CMOS sensors (1920 x 1080) • F11 Sensitivity • 35Mbps Ultra High Quality H.264 recording • 23x Fujinon Auto focus lens w/manual functions (35mm conversion:29 to 667mm) • Dual Codec: Recording simultaneously HD + SD or HD + 480 x 270 (for Web delivery) • Live transmission (streaming) • Background FTP clip transfers while recording • Clip trimmer (basic editor) • 3 position ND filter (1/4, 1/16, 1/64) • 0.45-inch 1.22M pixel color VF • 3.5-inch 920K pixel LCD display • 2 memory slots (SDXC/SDHC) • Multiple formats: .MOV (Final Cut Pro), .MP4 (XDCAM EX™), AVCHD, .MXF (AS-10) • Pre Rec (retro) mode (20 sec.) • Interval recording • Built-in stereo microphone • 2-ch XLR audio inputs • HD/SD-SDI, HDMI Outputs • Wired remote control connector</li> </ul>                                                                                         | \$ 5,659.00 |
| GY-HMQ10U                                      | 4K COMPACT HANDHELD CAMCORDER<br><ul style="list-style-type: none"> <li>• Real-time record &amp; playback of 3840 x 2160 at 24p/50p/60p • Single 8.3MP 1/2-inch CMOS imager • Live output (via HDMI x4) • Records to SDHC/SDXC cards (x4) • Auto focus lens w/OIS • 3.5 LCD touch panel • Two XLR audio inputs w/phantom power • Time lapse function • Wired remote capability</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$ 4,989.00 |
| GY-HMZ1U                                       | ProHD 3-D CAMCORDER<br><ul style="list-style-type: none"> <li>• 3D capture with dual Full-HD CMOS sensors • 24p or 60i capture/recording • Twin F1.2 HD lenses w/5x optical zoom (10x in 2D) • 3.5-inch glasses-free LCD touch panel • 34Mbps recording in 3D • SDXC/SDHC flash media • Internal 64GB memory • Built-in timecode • 3D digital stills • Advanced Image Stabilizer • 3D time lapse recording • Zebra exposure indication • Incl. handle with XLR mic inputs, mic holder (mic optional)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 1,794.00 |
| PROHD-4601                                     | HDMI TO SDI CONVERTER<br><ul style="list-style-type: none"> <li>• Convert HDMI 1.3 To 3G/HD/SD-SDI • 1 HDMI Input, 1 Analog Audio (3.5mm) input and 2 SDI Output • Embed HDMI Audio to SDI output • Embed Analog Audio to SDI output</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 252.00   |
| AA-VF8USP                                      | BATTERY CHARGER FOR BN-VF823USP<br><ul style="list-style-type: none"> <li>• Universal Power: 110-240V~, 50/60Hz • Output Power: DC 7.2V • Dimensions: 61mm(W) x 31mm(H) x 100mm(D) • Weight: Approx.120g</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 95.00    |
| ACE-M                                          | SACHTLER TRIPOD AND FLUID HEAD<br>Ace-M fluid head and mid-spreader tripod                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$ 660.00   |
| BN-VF823USP                                    | LITHIUM-ION DATA BATTERY (7.2V, 2190mAh) for GY-HM100/150<br>Lithium-Ion battery can provide recording time of about 2 hours with GY-HM100.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$ 95.00    |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Price       |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| CTC-600KIT                                                                                   | CARRY CASE, RAINCOVER AND CART FOR GY-HM600/650<br>The CTC-600KIT consists of a camera carrying case, raincover and trolley — assembled specifically for the GY-HM600 and GY-HM650 camcorders. The case attaches directly onto the trolley, providing seamless and secure operation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$ 474.00   |
| CTC-HM100SSC                                                                                 | HARD SHIPPING CASE FOR GY-HM100U<br>Shipping case for the GY-HM100 provides 360° protection for camera and accessories.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$ 280.00   |
| HM100U169WC7X                                                                                | WIDE CONVERSION PACKAGE (GY-HM100U/150U)<br>• High Optical Quality 0.7x Wide Conversion Lens • Native 46mm Ring — Attaches directly to the GYHM100U lens without an adapter ring. • Rubber Sunshade Hood                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$ 333.00   |
| HM600WC8X72HU                                                                                | WIDE ANGLE CONVERTER FOR GY-HM600/650<br>Wide angle converter with sunshade hood. 72mm thread for GY-HM600/650. Includes hood that replaces original camera hood. Converts the 29-667mm to 23-533mm (35mm equivalent)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 665.00   |
| HZ-HM150VZR                                                                                  | REMOTE LENS CONTROL FOR GY-HM150U                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$ 280.00   |
| LC-2J                                                                                        | 2 CHANNEL CHARGER FOR SSL-JVC50 LITHIUM ION BATTERY<br>7.4V 2ch Simultaneous Dual Charger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 166.00   |
| SSL-JVC50                                                                                    | 7.4V/5Ah LITHIUM ION BATTERY FOR GY-HM600/650, GY-HMQ10 & DT-X MONITORS<br>7.4V/5000mAh Lithium Ion Battery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$ 166.00   |
| TC-400-JVC650                                                                                | QUAD TURBO CHARGER<br>Charges up to 4 IDX SSL-JVC50 batteries (GY-HM600/650)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 950.00   |
| TC-400-JVC650-TDM                                                                            | QUAD TURBO CHARGER (w/CHARGE-DISCHARGE-CHARGE)<br>Charges up to 4 IDX SSL-JVC50 batteries (GY-HM600/650). This TDM model includes a charge-discharge-charge test mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 1,140.00 |
| <b>ENG/EFP PROHD CAMCORDERS</b>                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |
| GY-HM600U                                                                                    | ProHD HANDHELD CAMCORDER<br>• Three 1/3-inch CMOS sensors (1920 x 1080) • F11 Sensitivity • 23x Fujinon Auto focus lens w/manual functions (35mm conversion:29 to 667mm) • OIS • 3 position ND filter (1/4, 1/16, 1/64) • 0.45-inch 1.22M pixel color VF • 3.5-inch 920K pixel LCD display • 2 memory slots (SDXC/SDHC) • Multiple formats: .MOV (Final Cut Pro), .MP4 (XDCAM EX™), AVCHD<br>• Pre Rec (retro) mode (20 sec.) • Interval recording • Built-in stereo microphone • 2-ch XLR audio inputs • HD/SD-SDI, HDMI Outputs • Wired remote control connector                                                                                                                                                                                                                                                    | \$ 4,221.00 |
| GY-HM650U                                                                                    | ProHD MOBILE NEWS CAMERA<br>• Three 1/3-inch CMOS sensors (1920 x 1080) • F11 Sensitivity • 35Mbps Ultra High Quality H.264 recording • 23x Fujinon Auto focus lens w/manual functions (35mm conversion:29 to 667mm) • Dual Codec: Recording simultaneously HD + SD or HD + 480 x 270 (for Web delivery) • Live transmission (streaming) • Background FTP clip transfers while recording • Clip trimmer (basic editor) • 3 position ND filter (1/4, 1/16, 1/64) • 0.45-inch 1.22M pixel color VF • 3.5-inch 920K pixel LCD display • 2 memory slots (SDXC/SDHC) • Multiple formats: .MOV (Final Cut Pro), .MP4 (XDCAM EX™), AVCHD, .MXF (AS-10) • Pre Rec (retro) mode (20 sec.) • Interval recording • Built-in stereo microphone • 2-ch XLR audio inputs • HD/SD-SDI, HDMI Outputs • Wired remote control connector | \$ 5,659.00 |
| GY-HM70U  | HD CAMCORDER<br>• 1920 x 1080 capture and 60P (AVCHD Progressive 28Mbps) • 1/2.3-inch 12 megapixel CMOS imager • 29.5mm wide angle autofocus zoom lens with 16x dynamic zoom, 200x digital zoom • Manual focus, iris, shutter, white balance control • Optical image stabilizer • Stable, professional shoulder form factor • Dual SDHC/SDXC memory slots • High speed video recording (for slow motion) • 300 fps (720 x 480 resolution) • 3-inch Touch Screen LCD display • .24-inch LCOS Color Viewfinder • Built-in zoom microphone • 3.5mm Microphone Input • 12MP digital still capture (JPEG format) • Unique dual snap-on battery system (1 provided) • 3.5mm Remote Connector (compatible with HZ-M150VZR remote lens control unit) • 3.5mm Headphone out connector                                          | \$ 1,438.00 |
| GY-HM710U                                                                                    | ProHD COMPACT SHOULDER SOLID STATE CAMCORDER W/14X CANON LENS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 5,619.00 |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                         | Description                                                                                                                                                                                                                                                                                                                                                                                                  | Price        |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
|                                      | <ul style="list-style-type: none"> <li>• Compact shoulder form factor • Three 1/3" Progressive CCDs • Bayonet lens mount • Dual SDHC memory slots • SD or HD recording • Records at 25Mbps or 35Mbps • HD 1080 60i/24p/30p, SD 480 60i • Native file recording to Final Cut Pro or XDCAM EX • HDSDI output</li> </ul> Includes: Camera head, VF, Mic, Anton Bauer mount, KT14x44KRS Canon Lens               |              |
| GY-HM750CHU                          | ProHD COMPACT SHOULDER SOLID STATE CAMCORDER (LESS LENS)                                                                                                                                                                                                                                                                                                                                                     | \$ 5,879.00  |
|                                      | Camera head version of the GY-HM750U. Includes camera Head, Viewfinder, Shotgun Microphone, Anton Bauer mount. No lens                                                                                                                                                                                                                                                                                       |              |
| GY-HM750L17                          | ProHD COMPACT SHOULDER SOLID STATE CAMCORDER W/17x4.5 FUJINON LENS                                                                                                                                                                                                                                                                                                                                           | \$ 7,911.00  |
|                                      | Standard ENG package includes Fujinon XT17sx45BRMK1 Lens and GY-HM750CHU                                                                                                                                                                                                                                                                                                                                     |              |
| GY-HM750U                            | ProHD COMPACT SHOULDER SOLID STATE CAMCORDER W/14X CANON LENS                                                                                                                                                                                                                                                                                                                                                | \$ 6,922.00  |
|                                      | <ul style="list-style-type: none"> <li>• Compact shoulder form factor • Three 1/3" Progressive CCDs • Interchangeable lenses • Dual SDHC memory slots • Simultaneous recording on 2 cards • SD or HD recording • Recording up to 35Mbps • Native file recording to Final Cut Pro or XDCAM EX • HDSDI output</li> </ul> Includes: Camera head, VF, Mic, Anton Bauer mount, KT14x44KRS Canon Lens              |              |
| GY-HM790CHU                          | ProHD SOLID STATE MEDIA CAMCORDER--NO LENS                                                                                                                                                                                                                                                                                                                                                                   | \$ 8,087.00  |
|                                      | HD 1080i 60i/50i, 1080p 30p/25p/24p and 720p recording: 60p, 50p, 30p, 25p, 24p • XDCAM EX™ codec and file recording at 35/25/19 Mbp/s selectable • SD 25Mbps/s .AVI file recording capable • Native .MOV QuickTime™ file recording • Anton-Bauer mount • Genlock • Time code I/O • 1080i/720p HD • SDI out with embedded audio and TC • Pool feed input                                                     |              |
| GY-HM790U                            | ProHD SOLID STATE MEDIA CAMCORDER W/CANON 14X4.4MM ENG LENS                                                                                                                                                                                                                                                                                                                                                  | \$ 8,986.00  |
|                                      | <ul style="list-style-type: none"> <li>• HD 1080i 60i/50i, 1080p 30p/25p/24p and 720p recording: 60p, 50p, 30p, 25p, 24p • XDCAM EX™ codec and file recording at 35/25/19 Mbp/s selectable • SD 25Mbps/s .AVI file recording capable • Native .MOV QuickTime™ file recording • Anton-Bauer mount • Genlock • Time code I/O • 1080i/720p HD • SDI out with embedded audio and TC • Pool feed input</li> </ul> |              |
| GYHM790L17                           | GY-HM790 CAMCORDER WITH FUJINON 17x4.5 ENG LENS                                                                                                                                                                                                                                                                                                                                                              | \$ 10,784.00 |
|                                      | ENG camera/lens package consists of GY-HM790CHU head (includes microphone, viewfinder, Anton-Bauer battery mount), XT17Sx45BRMK1 Fujinon 17X HD ENG lens. Package does <u>not</u> include battery or tripod plate.                                                                                                                                                                                           |              |
| <b>ENG/EFP CAMCORDER ACCESSORIES</b> |                                                                                                                                                                                                                                                                                                                                                                                                              |              |
| DS-W4DX                              | DAVIS & SANFORD DELUXE FOLDING DOLLY FOR TRIPODS                                                                                                                                                                                                                                                                                                                                                             | \$ 185.00    |
|                                      | Compatible with ACE L and M Series Tripods.                                                                                                                                                                                                                                                                                                                                                                  |              |
| 25PPROHDINV                          | SDHC MEDIA SLEEVE (MASTER CARTON OF 20 25PPROHD)                                                                                                                                                                                                                                                                                                                                                             |              |
|                                      | Available in 20 piece Master Carton Only                                                                                                                                                                                                                                                                                                                                                                     |              |
| AB-DIONIC-PKG                        | ANTON BAUER DIONIC90 BATTERY & CHARGER                                                                                                                                                                                                                                                                                                                                                                       | \$ 1,126.00  |
|                                      | (Includes one Tandem 70 charger and one Dionic90 battery)                                                                                                                                                                                                                                                                                                                                                    |              |
| ACE-LMSCF                            | ACE-L TRIPOD SYSTEM (FLUID HEAD, MID-SPREADER TRIPOD, BAG)                                                                                                                                                                                                                                                                                                                                                   |              |
| ACE-LTT752CF                         | ACE-L TRIPOD SYSTEM (FLUID HEAD, TRIPOD, BAG)                                                                                                                                                                                                                                                                                                                                                                | \$ 1,515.00  |
| ACE-M                                | SACHTLER TRIPOD AND FLUID HEAD                                                                                                                                                                                                                                                                                                                                                                               | \$ 660.00    |
|                                      | Ace-M fluid head and mid-spreader tripod                                                                                                                                                                                                                                                                                                                                                                     |              |
| ACM-17                               | 2/3-in LENS MOUNT CONVERTER                                                                                                                                                                                                                                                                                                                                                                                  | \$ 1,397.00  |
|                                      | This adapter allows standard 2/3-inch television lenses to be used with 1/3-inch bayonet mount cameras such as the GY-HD250, GY-HM700/790. Image magnification will occur. To calculate image size, please refer to the following table:                                                                                                                                                                     |              |
| CA-UP600                             | WIRELESS MIC RECEIVER BRACKET FOR GY-HM600 SERIES                                                                                                                                                                                                                                                                                                                                                            | \$ 123.00    |
|                                      | Wireless Mic Receiver Bracket for GY-HM600 and GY-HM650 Camcorders • Includes plate and mounting screws                                                                                                                                                                                                                                                                                                      |              |
| CB250                                | HARD SHIPPING CASE FOR ProHD CAMCORDERS                                                                                                                                                                                                                                                                                                                                                                      | \$ 615.00    |
|                                      | Hard shipping case for ProHD camcorders                                                                                                                                                                                                                                                                                                                                                                      |              |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Price        |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| CB600PC       | WHEELED WATERTIGHT CASE FOR GY-HM600/650<br>• Hard Carrying Case for GY-HM600/650 ProHD Camcorders                                                                                                                                                                                                                                                                                                                                                                                           | \$ 569.00    |
| DIONIC90      | ANTON BAUER DIGITAL LITHIUM-ION BATTERY<br>Lithium Ion Battery 14.4V 90WH. Use with Anton-Bauer Titan series charger.                                                                                                                                                                                                                                                                                                                                                                        | \$ 511.00    |
| HTs18X4.2BERM | FUJINON 18:1 HD ENG ZOOM LENS w/2x EXTENDER<br>• Focal length: 4.2 to 76mm [8.4-152mm] • Filter size Ø 82mm P = 0.75 • Weight: 1.58kg (3.48 lbs.) • Max Relative Aperture: F1.4 [F.28] • Minimum Object Distance (from front lens): 0.05m • Operation: Manual focus/Servo zoom • Object Dimensions at M.O.D.: 4.2mm 727 x 409mm [364x205mm] (16:9 Aspect Ratio: 76mm 40 x 23mm [20x11mm]) • Angular Field of View: 4.2mm 63°49' x 38°35' [34°35' x 19°51']<br>Use the MS-11 rear control kit | \$ 15,105.00 |
| HTs18X4.2BRM  | FUJINON 18:1 HD ZOOM LENS<br>Fujinon 18x 4.2mm HD ENG High Quality Lens<br><b>Use with: MS-11 Zoom &amp; Focus Kit</b><br>Note: Available through Fujinon                                                                                                                                                                                                                                                                                                                                    | \$ 10,925.00 |
| HZ-HM600VZR   | REMOTE LENS CONTROL FOR GY-HM600/650<br>• Remote Lens Control for GY-HM600 and GY-HM650 • Provides lens, trigger and screen control • Comes with a 40 inch cable and the lens and camcorder controls include: zoom, iris, focus, auto focus toggle, record start/stop and on-screen display toggle                                                                                                                                                                                           | \$ 333.00    |
| IA-60A        | IDX AC ADAPTER POWER SUPPLY w/CABLE<br>• IDX 60W AC Adapter / Power supply for use as an external XLR power source • Includes CA4XLR cable                                                                                                                                                                                                                                                                                                                                                   | \$ 333.00    |
| JVC-PV        | IDX BATTERY PLATE FOR ProHD SERIES<br>IDX ENDURA V-Mount battery plate with two-pin D-tap DC output and Digi-View. Custom version for JVCs ProHD 200 and 700 series.                                                                                                                                                                                                                                                                                                                         | \$ 90.00     |
| KA-551U       | TRIPOD ADAPTER KIT<br>Tripod adapter plate                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$ 328.00    |
| KT20X5BKRS    | CANON 20:1 HD ZOOM LENS<br>Canon 20x High Quality Lens<br><b>Use with: HZ-ZS13U Zoom Servo Control</b><br><b>HZ-FM15 Manual Focus Control</b>                                                                                                                                                                                                                                                                                                                                                | \$ 6,460.00  |
| RM-LP20G      | ProHD REMOTE CONTROL UNIT<br>• Local remote panel for GY-HM750/790 • 5m cable plugs into camera or CCU • Control for bars, shutter, gain, gamma, detail, knee, White balance, iris, tally, master black • Operation lock                                                                                                                                                                                                                                                                     | \$ 2,845.00  |
| RM-LP25U      | ProHD LOCAL REMOTE UNIT<br>• for use w/ RM-HP250AU as well as directly w/ GY-HD200U / GY-HD250U ProHD camcorders • rack mountable frame design • F number indication • 5 user scene file settings • fixed 5m connection cable • Complex CP-301 fiber base station remote control compatible                                                                                                                                                                                                  | \$ 4,845.00  |
| SA-K790       | MOUNTING BRACKET FOR VF-HP790U VIEWFINDER<br>Enables the VF-HP790G to be mounted on the handle of the GY-HM750/790.                                                                                                                                                                                                                                                                                                                                                                          | \$ 375.00    |
| VL-2PLUS      | IDX 2-CHANNEL QUICK CHARGER<br>• 2-channel sequential quick charger • Built-in 60W AC adapter • Includes CA4XLR cable                                                                                                                                                                                                                                                                                                                                                                        | \$ 499.00    |
| XT17sx45BRMK1 | FUJINON 17:1 HD QUICK ZOOM LENS<br>• Designed for 1/3-inch HD cameras • Enhanced wide angle (4.5mm) • New Ergonomic Grip Design • Quick Zoom Function - Rapid One-Touch Wide-to-Telephoto Action • Cruising Zoom Function - Set Pace Zoom Capability • Focal Length: 4.5 – 77mm                                                                                                                                                                                                              | \$ 3,705.00  |
| XT17SX45BMD   | FUJINON 17X REMOTE ZOOM/FOCUS LENS<br>• Fujinon 17x 4.5mm Videoconferencing Lens                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 4,370.00  |
| XT20sx47BRM   | FUJINON 20x 4.7mm HD ENG LENS FOR 1/3-IN CAMERAS                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 6,365.00  |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Price       |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|                                                    | Fujinon 20x 4.7mm HD ENG Lens                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |             |
|                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |
| <b>MULTICORE STUDIO PACKAGES &amp; ACCESSORIES</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |
| HZ-FM13U                                           | MANUAL FOCUS CONTROL (FUJINON LENSES)<br>Allows operator to focus the camera from the rear of the camera. Works with S19X65B12U, S14X75B12U, A19X87BWU, A19X87B12U, A19X87BE12U, Th13X3.5BRM, Th17X5BRM                                                                                                                                                                                                                                                                                              | \$ 743.00   |
| HZ-FM15U                                           | MANUAL FOCUS CONTROL (CANON LENSES)<br>Works with YJ18X9BK12U, YH14X73K12U, YH18X67K12U, YJ18X9BK12U, KT20X5BKRS                                                                                                                                                                                                                                                                                                                                                                                     | \$ 743.00   |
| HZ-ZS13U                                           | SERVO ZOOM CONTROL<br>Smooth electronic zoom from rear of the camera for studio use. Works with Canon 14X lens, A19X87B12U, A19X87BE12U, S14X75B12U, S19X65B12U, YH14X73K12U, YH18X67K12U, YJ18X9BK12U, Th13X3.5BRM, Th16X5.5BRM, Th17X5BRM                                                                                                                                                                                                                                                          | \$ 813.00   |
| KA-790G                                            | STUDIO SLED FOR GY-HM790U                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$ 2,423.00 |
| KA-M790G                                           | MULTICORE STUDIO MODULE FOR GY-HM790<br>• MULTICORE STUDIO MODULE FOR GY-HM790 • Attaches to the camera and has 26-pin connector for JVC or Sony multicore CCU cable • Provides tally lamp, intercom & return video connections                                                                                                                                                                                                                                                                      | \$ 2,613.00 |
| KA-V400U                                           | 20-PIN VF CONNECTOR TO 6-PIN CONVERSION ADAPTER<br>Enables the use of VF-P400U 4-inch B/W Studio Viewfinder with the KA-HD250U Studio Adapter.                                                                                                                                                                                                                                                                                                                                                       | \$ 233.00   |
| MS11                                               | FUJINON SEMI SERVO KIT<br>Rear camera control system (Zoom and Focus) for HTs18x Series ENG Lenses                                                                                                                                                                                                                                                                                                                                                                                                   |             |
| RM-HP790DU                                         | DIGITAL CAMERA CONTROL UNIT FOR GY-HM790<br>• HD/SD SDI Out x2 via separate BNC input (VC-HP110 series cable) • Maximum camera cable 100m • local remote control capability with the RM-LP25U remote control panel • camera menu access and control • 4 independently assignable user settings • 4 scene file settings • compact 1 rack unit height • RTS or 2-wire intercom system compatible • Switchable between HD250/HM790 • Must be used with hybrid cable (VC-HPxxx) to obtain digital output | \$ 4,703.00 |
| RM-LP55U                                           | CAMERA REMOTE CONTROL UNIT (HAND HELD)<br>Title, gain, white balance, gamma, master black, random trigger, slow shutter, shutter & scan, also zoom, focus & iris of lens                                                                                                                                                                                                                                                                                                                             | \$ 855.00   |
| VC-DHP112MO                                        | CAMERA/REMOTE HYBRID CABLE (20m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 1,615.00 |
|                                                    | CAMERA/REMOTE HYBRID CABLE (20m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                         |             |
| VC-DHP113MO                                        | CAMERA/REMOTE HYBRID CABLE (50m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 2,565.00 |
|                                                    | CAMERA/REMOTE HYBRID CABLE (50m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                         |             |
| VC-DHP114MO                                        | CAMERA/REMOTE HYBRID CABLE (100m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$ 4,019.00 |
|                                                    | CAMERA/REMOTE HYBRID CABLE (100m) w/DUAL SDI (for RM-HP790DU)                                                                                                                                                                                                                                                                                                                                                                                                                                        |             |
| VC-HP112U                                          | CAMERA/REMOTE HYBRID CABLE (20m) (for RM-HP790DU)<br>Camera/Remote Hybrid Cable (20m) for RM-HP790DU                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 1,420.00 |
| VC-HP113U                                          | CAMERA/REMOTE HYBRID CABLE (50m) (for RM-HP790DU)<br>Camera/Remote Hybrid Cable (50m) for RM-HP790DU                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 2,138.00 |
| VC-HP114U                                          | CAMERA/REMOTE HYBRID CABLE (100m) (for RM-HP790DU)<br>Camera/Remote Hybrid Cable (100m) for RM-HP790DU                                                                                                                                                                                                                                                                                                                                                                                               | \$ 3,420.00 |
| VF-HP790G                                          | 8.4-in HD/SD STUDIO VIEWFINDER w/CAMERA MENU CONTROL                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |
|                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |
| <b>FIBER TRANSMISSION SYSTEMS &amp; ACC.</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |
| (CUSTOM ORDER. ALLOW 30 DAYS FOR DELIVERY.)        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |
| DUO                                                | OPTICALCON DUO FIBER COUPLER ADAPTER<br>Extends the camera distance by joining multiple fiber tactical or Hybrid cables. It is designed for and may be fully integrated with all GY-HM790 camera fiber cables offered by JVC. Fully weatherproof.                                                                                                                                                                                                                                                    | \$ 355.00   |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Price        |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| FS-790PNACG   | FIBER TRANSMISSION SYSTEM (HYBRID, OPTICALCON, CLEARCOM)<br>• Fiber system designed for GY-HM790 • Consists of camera module, base station. • This version provides power to the camera head using hybrid cables equipped with Neutrik OpticalCON connectors (not included). • Supports Clear-Com intercom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$ 12,582.00 |
| FS-790PNARG   | FIBER TRANSMISSION SYSTEM (HYBRID, OPTICALCON, RTS)<br>• This system is offered as a basic powered hybrid fiber system with Neutrik OpticalCON connectors. Standard power is supplied via the optional hybrid fiber cable. • Consists of KA-F790NG Camera Adapter Unit, KA-PW790AG Power Wafer (AB), RM-FP790PNRG Base Station, VC-P790RMG Base Remote Cable (for JVC RM-LP Remote Unit) • This version provides power to the camera head using hybrid cables equipped with Neutrik OpticalCON connectors (not included). • All HD, video, Audio, and control signals, plus up to 50 watts of continuous 12VDC Power is available over the length of the cable. • The max specified length for this fiber system is up To 500 meters (1640 feet) on SMPTE Hybrid fiber. • Supports RTS intercom                              | \$ 12,582.00 |
| FS-790PSACG   | FIBER TRANSMISSION SYSTEM (HYBRID, SMPTE, CLEARCOM)<br>• Fiber system designed for GY-HM790 • Consists of camera module, base station. • This version provides power to the camera head with hybrid cables equipped with SMPTE 304M connectors (not included). • Supports Clear-Com intercom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 13,481.00 |
| FS-790PSARG   | FIBER TRANSMISSION SYSTEM (HYBRID, SMPTE, RTS)<br>• This system is offered as an advanced hybrid fiber system with SMPTE 304 connectors. Standard power is supplied via the optional hybrid fiber cable. A camera head power wafer is also supplied for the camera side. • Consists of KA-F790SG Camera Adapter Unit, KA-PW790AG Power Wafer (AB), RM-FP790PSARG Base Station, VC-P790RMG Base Remote Cable (for JVC RM-LP Remote Unit) • This version provides power to the camera head with hybrid cables equipped with SMPTE 304M connectors (not included). • The max specified length for this fiber system is up To 500 meters (1640 feet) on SMPTE Hybrid fiber. • All HD, video, Audio, and control signals, plus up to 50 watts of continuous 12VDC Power is available over the length of the cable. • Supports RTS | \$ 13,481.00 |
| FS-790SNCG    | FIBER TRANSMISSION SYSTEM (SMPTE PowerPlus, OPTICALCON, CLEARCOM)<br>• Fiber system designed for GY-HM790 • Consists of camera module, base station for SMPTE PowerPlus, Neutrik Connector • Supports Clear-Com intercom, AB Power Wafer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$ 15,279.00 |
| FS-790SNRG    | FIBER TRANSMISSION SYSTEM (SMPTE PowerPlus, OPTICALCON, RTS)<br>• Fiber system designed for GY-HM790 • Consists of camera module, base station for SMPTE PowerPlus, Neutrik Connector • Supports RTS intercom, AB Power Wafer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 15,279.00 |
| FS-790TNCG    | FIBER TRANSMISSION SYSTEM (TACTICAL, OPTICALCON, CLEARCOM)<br>• Fiber system designed for GY-HM790 • Consists of camera module, base station. • Supports Clear-Com intercom system • Requires separate power at camera head, tactical fiber cables with Neutrik OpticalCON connectors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$ 10,334.00 |
| FS-790TNRG    | FIBER TRANSMISSION SYSTEM (TACTICAL, OPTICALCON, RTS)<br>• Consists of KA-F790NG camera module, RM-FP790TNRG Base Station, VC-P790RMG Base Remote Cable (for JVC RM-LP Remote Units), AA-FP790G AC Power Adaptor (Base Station, external) • Supports RTS intercom • Max length for tactical single mode fiber is 6.2 miles • All HD, video, Audio, and control signals are available over the length of the cable. • Requires separate power at camera head<br>Note: Tactical fiber cables with Neutrik OpticalCON connectors are NOT included and must be purchased separately                                                                                                                                                                                                                                              | \$ 10,334.00 |
| FS-CABHYB100  | 100' HYBRID FIBER CABLE (OPTICALCON, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 1,378.00  |
| FS-CABHYB100S | 100' HYBRID FIBER CABLE (SMPTE CONNECTORS, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 1,473.00  |
| FS-CABHYB200  | 200' HYBRID FIBER CABLE (OPTICALCON, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 1,515.00  |
| FS-CABHYB200S | 200' HYBRID FIBER CABLE (SMPTE CONNECTORS, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 1,610.00  |
| FS-CABHYB500  | 500' HYBRID FIBER CABLE (OPTICALCON, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 1,948.00  |
| FS-CABHYB500S | 500' HYBRID FIBER CABLE (SMPTE CONNECTORS, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 2,043.00  |
| FS-CABHYB700  | 700' HYBRID FIBER CABLE (OPTICALCON, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 2,233.00  |
| FS-CABHYB700S | 700' HYBRID FIBER CABLE (SMPTE CONNECTORS, NO REEL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 2,328.00  |
| FS-CABTAC1000 | 1000' TACTICAL FIBER CAMERA CABLE (OPTICALCON, REEL INCLUDED)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 3,753.00  |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Price       |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| FS-CABTAC500                                                                                 | 500' TACTICAL FIBER CAMERA CABLE (OPTICALCON, REEL INCLUDED)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$ 2,898.00 |
| FS-L-REEL                                                                                    | XL REEL (HYBRID FIBER CABLE, UP TO 800')                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 1,135.00 |
| FS-S-REEL                                                                                    | SMALL REEL (HYBRID FIBER CABLE, UP TO 200')                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$ 903.00   |
| HDX-FR-2                                                                                     | HDX RACK MOUNT KIT FOR TWO HDX UNITS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 333.00   |
| KA-PW790AG                                                                                   | POWER WAFER (AB MOUNT)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$ 1,520.00 |
| <b>PROFESSIONAL DVD/BLU-RAY COMBO DECKS</b>                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |             |
| PROHD-4601                                                                                   | HDMI TO SDI CONVERTER<br>• Convert HDMI 1.3 To 3G/HD/SD-SDI • 1 HDMI Input, 1 Analog Audio (3.5mm) input and 2 SDI Output • Embed HDMI Audio to SDI output • Embed Analog Audio to SDI output                                                                                                                                                                                                                                                                                                                                                                    | \$ 238.00   |
| SR-HD1250US                                                                                  | BLU-RAY DISC & HDD RECORDER<br>• Blu-Ray Disc & HDD Recorder <b>Includes:</b> 250GB HDD, AC cord, IR remote                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$ 895.00   |
| SR-HD1500US                                                                                  | BLU-RAY DISC & HDD RECORDER<br><b>Includes:</b> 500GB HDD, RS-232 D-sub 9-pin remote connection, HM Series SP mode .mov file read capability, AC cord, IR remote                                                                                                                                                                                                                                                                                                                                                                                                 | \$ 2,463.00 |
| SR-HD2500US                                                                                  | BLU-RAY DISC & HDD RECORDER w/HDSDI<br>• HD-SDI In/Out, IEEE-1394, Composite/S-Video • Direct-to-disc recording from live signal • Internal 500GB hard disk for editing, duplicating • Create professional BDMV (with menu) or BDAV discs • Stores up to 24 hours of HD • Supports BD-R or BD-RE discs. • Authors discs w/auto-start or repeat PB • Superimpose SD/HD-SDI embedded time code onto Blu-ray or DVD • RS-232C terminal for external control                                                                                                         | \$ 3,592.00 |
| <b>PROFESSIONAL TAPE</b>                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |             |
| LA276PROHD-MC                                                                                | 276 MINUTE DV/HDV FULL SIZE CASSETTE (MASTER CARTON)<br>276 min. ProHD / ProfessionalDV Standard Cassette Media - 50 piece Master Carton                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 2,848.00 |
| <b>FLAT PANEL PROFESSIONAL MONITORS</b>                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |             |
| DT-E15L4U                                                                                    | 15-INCH MULTI-FORMAT PROFESSIONAL LCD STUDIO MONITOR<br>• 15.6-inch Non-Glare TN LCD panel • 1366 x 768 (WXGA) pixel array • Mercury-free White LED backlight • IMD (In Monitor Display) function • RS-232C, RS-485 remote • HD-SDI, HDMI, Analog Component and Composite video inputs • Wide viewing angle of 170/160° • LTC, VITC and D-VITC support • 16 channel audio level metering                                                                                                                                                                         | \$ 1,794.00 |
| DT-E17L4G                                                                                    | 17-INCH MULTI-FORMAT LCD MONITOR (LED BACKLIT)<br>• LED Backlight • HD-SDI and HDMI compatible • 1920 x 1080 panel • AC/DC Power Supply • Composite I/O, Component In, Analog RGB In, HDMI In, HD/SD-SDI In/Out • 3-Way stand for versatile installation • 10bit color • 16ch audio meters • LTC & VITC time code support • Built-In speakers • Gloss high contrast panel (600:1 contrast ratio)                                                                                                                                                                 | \$ 2,382.00 |
| DT-E21L4U                                                                                    | 21-INCH MULTI-FORMAT LCD MONITOR (LED BACKLIT)<br>• LED Backlight • HD-SDI and HDMI compatible • 1920 x 1080 panel • AC/DC Power Supply • Composite I/O, Component In, Analog RGB In, HDMI In, HD/SD-SDI In/Out • 3-Way stand for versatile installation • 10bit color • 16ch audio meters • LTC & VITC time code support • Built-In speakers • Non-glare panel (1,000:1 contrast ratio)                                                                                                                                                                         | \$ 2,652.00 |
| DT-F9L5U  | 8.2-INCH BROADCAST STUDIO MONITOR/VIEWFINDER<br>• 8.2-inch IPS panel (1280 x 800) • LED backlight • 178° x 178° viewing angle • HD-SDI, HDMI, Analog Component, Composite video inputs • 16 Ch Audio Metering • MAKE/TRIGGER, RS-232C and RS-485 remote • LTC, VITC, and D-VITC time code • Focus assist • Zebra function • Battery and DC 12V operation (For AC operation use the optional ADPV16 adapter.) • Waveform/vectorscope • Front panel headphone jack • Front and rear tally • Anton/Bauer Gold Mount Plate included • Tripod mount hardware included | \$ 1,704.00 |
| DT-R24L41DU                                                                                  | 24-INCH STUDIO MONITOR w/HDSDI<br>• Full HD 1920x1200 panel • HD/SD SDI (x2 In, x1 Switched Out) • Composite Video Input and Output • DVI Input • JVC 10-bit video processing • 178°/178° viewing angle • Gamma selection • Various marker function • Audio level meter up to 12ch • RS-232C, RS-485 External control connections • Includes 3-way stand                                                                                                                                                                                                         | \$ 2,872.00 |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Price       |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| DT-V17G15Z                                                                                   | 17-INCH 10-BIT PRODUCTION MONITOR<br>• True 10-bit IPS panel for near EBU Grade 1 performance • Full array RGB-LED backlight • Precise ITU-709 gamut • Wide gamut mode covers 110% color space • Selectable gamma preset modes 2.2, 2.35, 2.45, 2.6 • 3G/Dual-link HD-SDI inputs • Waveform/Vectorscope • AC/DC Power input                                                                                                                                                                                                                                                                               | \$ 3,951.00 |
| DT-V17G1Z                                                                                    | 17-INCH 3G HDS/SDI STUDIO MONITOR<br>• 3G and Dual Link equipped • SMPTE 424M/425M/372M • JVC 10-bit video processing • High operating viewing angle • Waveform/Vector scope • LTC & VITC support • Gamma selection • Various marker function • Audio level meter up to 12ch • Digital Closed Captioning • IPS Panel: 1366x768                                                                                                                                                                                                                                                                            | \$ 2,693.00 |
| DT-V21G11Z                                                                                   | 21-INCH MULTI-FORMAT MONITOR (LED BACKLIT)<br>• LED Backlight • Low power consumption • 3G/Dual Link HD-SDI • Wide Viewing Angle • 1920 x 1080 pixel Full HD resolution • Vector Scope, Waveform, Marker Functions • 10bit Color • Low Latency (<1 frame) • 16-ch audio level meter • 1,000:1 contrast ratio • ITU-709 color space • LTC & VITC TC support • 1080/24psf compatibility • Digital Closed Captioning                                                                                                                                                                                         | \$ 3,232.00 |
| DT-V24G11Z                                                                                   | 24-INCH 3G HDS/SDI STUDIO MONITOR<br>• 3G and Dual Link equipped • Full HD 1920x1200 panel • SMPTE 424M/425M/372M • JVC 10-bit video processing • High operating viewing angle • Waveform/Vector scope • LTC & VITC support • Gamma selection • Various marker function • Audio level meter up to 12ch • Digital Closed Captioning • HD/SD SDI (x2 In, x1 Switched Out) • Component/RGB & Comp. video In & Out • DVI-D (HDCP Video and PC) Input • Built-In speakers & Front-panel rotary knobs • 1080/24psf Signal Capability • Full screen mode for SD 4:3 signals • Remote control via RS-232C, RS-485 | \$ 3,771.00 |
| DT-V24G1Z                                                                                    | 24-INCH 3G HDS/SDI STUDIO MONITOR<br>• 3G and Dual Link equipped • Full HD 1920x1200 panel • SMPTE 424M/425M/372M • JVC 10-bit video processing • High operating viewing angle • Waveform/Vector scope • LTC & VITC support • Gamma selection • Various marker function • Audio level meter up to 12ch • Digital Closed Captioning                                                                                                                                                                                                                                                                        | \$ 3,771.00 |
| DT-V9L5U  | 8.2-INCH BROADCAST STUDIO MONITOR<br>• 8.2-in IPS LED LCD panel • 1280 x 800 pixels array • 178° x 178° viewing angle • HD-SDI, HDMI, Analog Component, Composite video inputs • 16 Ch Audio Level Display • Area/Center/Aspect marker • MAKE/TRIGGER, RS-232C and RS-485 remote • LTC, VITC, and D-VITC time code support • AC/DC 12V power • Waveform and vectorscope • Built-in speaker • headphone jack                                                                                                                                                                                               | \$ 1,794.00 |
| DT-X51Hx3                                                                                    | TRIPLE 5-IN RACK DISPLAY MONITOR w/HDMI<br>• Three 5-in panels (800 x 480) • Looping 3G/HD/SD-SDI inputs • Looping HDMI inputs • Looping composite inputs • 3.5mm earphone jack • Less than 24W AC • 12V DC supply • Fits standard 19-inch EIA rack (3RU) • Underscan / overscan, safe area marker                                                                                                                                                                                                                                                                                                        | \$ 2,243.00 |
| DT-X71CI                                                                                     | ProHD 7-in AC/DC PORTABLE MONITOR (HDMI, COMPOSITE)<br>• 7-inch LCD Field Display • HDMI LCD Monitor with 1024 x 600 resolution                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$ 535.00   |
| DT-X71FI                                                                                     | ProHD 7-in AC/DC PORTABLE FULL FEATURED MONITOR (HD-SDI, HDMI, COMPOSITE)<br>• 7-inch LCD Field Display • HDMI and HDS/SDI • Waveform/Vectorscope • Audio meter and Focus assist • LCD monitor with 1024 x 600 resolution                                                                                                                                                                                                                                                                                                                                                                                 | \$ 1,524.00 |
| DT-X71HI                                                                                     | ProHD 7-in AC/DC PORTABLE MONITOR (HD-SDI, HDMI, COMPOSITE)<br>• 7-inch LCD Field Display • 3G/HD/SD-SDI and HDMI LCD Monitor with 1024 x 600 resolution                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$ 984.00   |
| DT-X71Hx2                                                                                    | DUAL 7-IN RACK DISPLAY MONITOR w/HDMI<br>• Two 7-inch Panels (1024 x 768) • 16x9 aspect ratio • Looping 3G/HD/SD-SDI inputs • Looping HDMI inputs • Looping composite inputs • L/R audio inputs • 3.5mm earphone jack • Power less than 15 watts • 12VDC power supply via 4-pin XLR connector • 120VAC adapter provided • Fits standard 19-inch rack (3RU) • Underscan / overscan, safe area marker • Front Tally lights (via RJ-45 connectors)                                                                                                                                                           | \$ 1,973.00 |
| DT-X91C                                                                                      | ProHD 8.9-in AC/DC PORTABLE MONITOR (HDMI, COMPOSITE)<br>• HDMI, Composite video, Stereo audio inputs • 1280x768 resolution • 16:9 / 4:3 adjustable • Dual 3-color TALLY light • Underscan / Overscan switch • Canon DLSR scale zoom-in • Picture flip • Customer editable video TITLE                                                                                                                                                                                                                                                                                                                    | \$ 895.00   |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                                                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price        |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| DT-X91F                                                                                      | ProHD 8.9-in AC/DC PORTABLE FULL FEATURED MONITOR (3GHD/SD-SDI, HDMI, COMPOSITE)<br>• 3GHD/SD-SDI, HDMI, Composite video inputs • HDMI converted to SDI output by a Build-in Converter • Waveform (Y/Cb/Cr/R/G/B), with full scale • Vectorscope • R G B Histogram • Peaking focus assist (red/blue switch) • False color, Blue only, Zebra • Underscan / Overscan switch • Canon DLSR scale zoom-in • Customer editable video TITLE • Audio meter (SDI 16-ch, HDMI 2-ch) • 1280×768 resolution • 16:9 / 4:3 adjustable         | \$ 2,158.00  |
| DT-X91H                                                                                      | ProHD 8.9-in AC/DC PORTABLE MONITOR (3GHD/SD-SDI, HDMI, COMPOSITE)<br>• 3GHD/SD-SDI, HDMI, Composite video, Stereo audio inputs • 1280×768 resolution • 16:9 / 4:3 adjustable • Dual 3-color TALLY light • Underscan / Overscan switch • Canon DLSR scale zoom-in • Picture flip • Customer editable video TITLE                                                                                                                                                                                                                | \$ 1,304.00  |
| DT-X91Hx2                                                                                    | DUAL 8.9-IN RACK DISPLAY MONITOR w/3GHD-SDI, HDMI<br>Dual Rackmount 8.9" LCD AC/DC, 3GHD/SD-SDI and HDMI LCD Monitor                                                                                                                                                                                                                                                                                                                                                                                                            | \$ 2,607.00  |
| GM-552DU    | 55-in CLASS FULL HD 24/7 MONITOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$ 5,844.00  |
| PS-420W                                                                                      | 42-INCH SIGNAGE DISPLAY<br>• 3 year 24/7 use warranty • Professional grade 1920 x 1080p IPS panel • 178°/178° viewing angle • Horizontal/vertical installation • Standard VESA FDMI mount (200 x 200mm) • Energy star compliant • Rear power outlet • Inputs: HDMI, DVI, RGB (d-Sub) • Audio line output (3.5mm) (No speaker) • Looping RS-232C external remote control • Infrared remote and HDMI cable included<br><b>Mounting hardware and stand not provided.</b>                                                           | \$ 751.00    |
| PS-470W                                                                                      | 47-INCH SIGNAGE DISPLAY<br>• 3 year 24/7 use warranty • Professional grade 1920 x 1080p IPS panel • 178°/178° viewing angle • Horizontal/vertical installation • Standard VESA FDMI mount (200 x 200mm) • Energy star compliant • Rear power outlet • Inputs: HDMI, DVI, RGB (d-Sub) • Audio line output (3.5mm) (No speaker) • Looping RS-232C external remote control • Infrared remote and HDMI cable included<br><b>Mounting hardware and stand not provided.</b>                                                           | \$ 1,056.00  |
| PS-840UD  | 84-INCH ProVérité 4K/60p MONITOR (3840x2160)<br>• 84-inch 4K LCD Monitor • Delivers a native screen resolution of 3840 x 2160                                                                                                                                                                                                                                                                                                                                                                                                   | \$ 13,935.00 |
| DT-X91CASE                                                                                   | MONITOR CASE (DT-X91 SERIES)<br>DT-X91 Series Optional Monitor Display Case                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$ 130.00    |
| <b>FLAT PANEL MONITOR ACCESSORIES</b>                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |              |
| AA-S3602I                                                                                    | 2 CHANNEL BATTERY CHARGER (FOR BN-S8I50)<br>2 Channel Battery Charger - AC Adaptor with LED Charge Indication • 2 channels simultaneous charging • 2 channels simultaneous adapting • Applicable for JVC battery BN- S8I50 • 2-channel simultaneous DC adapting output socket with 2 battery shaped adaptors and pole end cable connector for charger                                                                                                                                                                           | \$ 252.00    |
| AA-S3602V                                                                                    | 2 CHANNEL BATTERY CHARGER / AC ADAPTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$ 180.00    |
| BN-S8823                                                                                     | 7.2V BATTERY w/LED POWER INDICATOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$ 81.00     |
| BN-S8I50                                                                                     | 7.2V/6.6Ah LITHIUM ION BATTERY FOR GY-HM600/650, DT-X MONITORS<br>Battery with LED Power Indicator • 4-level LED Power Indicator to Display remaining power in percentage • The BN-S8I50 offers a 5.5mm standard DC output socket to power other devices simultaneously • 5V/1A USB Power Output - By pressing the ?power check? button, the 5V/1A USB socket will supply power for mobile devices. You can use BN-S8I50 as a temporary power station. • Charging - You can use ProHD Charger AA-S3602I to charge the BN- S8I50 | \$ 181.00    |
| DT-X71CASE                                                                                   | MONITOR CASE (DT-X71 SERIES)<br>• Monitor Carrying Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$ 138.00    |
| HOOD17LCD                                                                                    | HOOD FOR DT-V17L1DU<br>Hood for DT-V17L2DU                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$ 140.00    |
| RAK15LCD                                                                                     | RACK MOUNT KIT FOR DT-E15L4U MONITOR<br>The RAK15LCD holds a single DT-E15L4U monitor in a standard 19" rack mount.                                                                                                                                                                                                                                                                                                                                                                                                             | \$ 143.00    |

E60HN-13PSAB/001/HN

E60HN-13AVSO/018/HN

| Model Number                            | Description                                                                                                                                                                                                                                                                                                               | Price       |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| RAK2024LCD                              | ADJUSTABLE RACK MOUNT FOR DT-V24G11Z, DT-R24L4U MONITORS                                                                                                                                                                                                                                                                  | \$ 205.00   |
|                                         | Adjustable Rack Mount Kit for: DT-V24L1U, DT-V24L1DU, DT-V20L1U, DT-V20L1DU, DT-V20L3DU, DT-V20L3DY, DT-V24L3DU, DT-V24L3DY, DT-V24G1Z, DT-V20L3GZ, DT-R24L4DU, DT-V24G11Z                                                                                                                                                |             |
| RAK20LCD                                | RACK MOUNT KIT FOR DT-V20/24 SERIES LCD MONITORS                                                                                                                                                                                                                                                                          | \$ 154.00   |
|                                         | Mount DT-V Series flat panel monitors into a 19-inch EIA rack. Uses 8RU space for 20" models and 9RU for 24" models. Please note that when mounting the DT-V24L series, the screen will extend 1.5-inches beyond, and in front of, the mounting rails on each side. The electronics portion will recess into the cabinet. |             |
| RAK21LCDEV                              | RACK MOUNT KIT FOR 21-INCH PROFESSIONAL MONITORS                                                                                                                                                                                                                                                                          | \$ 152.00   |
|                                         | Rack Mount Kit for 21" Professional LCD Monitors: Accommodates 1 or 2 monitors.                                                                                                                                                                                                                                           |             |
| RAK72LCD                                | RACK MOUNT KIT FOR 7-INCH ProHD MONITORS                                                                                                                                                                                                                                                                                  | \$ 114.00   |
|                                         | Rack Mount Kit for 7" ProHD LCD Monitors. Accommodates 1 or 2 monitors.                                                                                                                                                                                                                                                   |             |
| RAK92LCD2                               | SIDE-BY-SIDE RACK MOUNT KIT (DT-V9L5U)                                                                                                                                                                                                                                                                                    | \$ 189.00   |
|                                         | The RAK92LCD2 holds two DT-V9L5U Verite 9" Professional Monitors side by side in a standard 19" rack mount.                                                                                                                                                                                                               |             |
| <b>ACCESSORIES FOR D-ILA PROJECTORS</b> |                                                                                                                                                                                                                                                                                                                           |             |
| BHL-5001-SU                             | 420W XENON LAMP FOR DLA-G15U/DLA-G150CL                                                                                                                                                                                                                                                                                   | \$ 1,036.00 |
| BHL-5002-SU                             | XENON LAMP FOR DLA-G11U                                                                                                                                                                                                                                                                                                   | \$ 855.00   |
| BHL-5006-S                              | UHP LAMP FOR D-ILA PROJECTOR                                                                                                                                                                                                                                                                                              | \$ 470.00   |
|                                         | UHP lamp for use with DLA-SX21, DLA-HX2U, DLA-HD2KU, DLA-HX1U                                                                                                                                                                                                                                                             |             |
| BHL-5008-S                              | UHP LAMP FOR D-ILA PROJECTOR                                                                                                                                                                                                                                                                                              | \$ 470.00   |
|                                         | Replacement lamp for DLA-HD10K                                                                                                                                                                                                                                                                                            |             |
| BHL-5009-S                              | REPLACEMENT LAMP FOR DLA-RS1 / DLA-RS2                                                                                                                                                                                                                                                                                    | \$ 379.00   |